

CAZEN

CAZEN HARDWARE

Leading technology creates high quality products

感受科技-铸就优质产品

嘉诚五金 产品手册


CAZEN

安吉嘉诚五金有限公司

地址:浙江省安吉县上墅乡刘家塘工业区
电话(TEL):0572-5722228/5721118
传真(FAX):0572-5022968
手机:18768355888/18857258503
安吉竹贸城C区103号
电话(TEL):0572-5722229

出口业务部 (EXPORT DEPT)
杭州科升家具有限公司
HANGZHOU CAZEN FURNITURE CO.,LTD.
地址:浙江省杭州市拱墅区西瑞大厦808室
ADD: ROOM 808, XIRUI BUILDING, GONGSHU DISTRICT,
HANGZHOU CITY, 310015, CHINA
EMAIL: SALES@CAZENHARDWARE.COM
WEBSITE: WWW.CAZENHARDWARE.COM
TEL: +86-13185006066 MR TERRY

CAZEN



技术引领 为客户创造更大价值

www.cazenhardware.com

2026

COMPANY INTRODUCTION

企业介绍

安吉嘉诚五金有限公司：是专业从事五金件的生产研发与销售的科技型企业，公司于2020年获得国家级高新技术企业证书。

嘉诚五金创建于2007年，位于浙江省安吉县上墅乡刘家塘工业区，占地面积3.5万平方米，员工390人，拥有50人的专业技术研发团队，共获得30多项产品设计专利。

本公司主要产品包括：整装五星脚、拆装式五星脚、扶手、脚踏圈、铁架、学生课桌椅六个系列。有OTC机械手80台，大吨位高精度连续冲床设备10台，多功能伺服弯管机8台，激光切管机4台（可异型加工），并拥有自动涂装生产线两条。年产值2.3亿。

公司产品远销全球50多个国家和地区，获得客户一致认可。未来，我们将持续努力以卓越的技术背景，以“质量第一、诚信至上”为宗旨与广大客户协调运作，抱团发展。



Anji Cazen Hardware Co.,LTD. is a scientific and high technological enterprise specializing in the producing, R&D and saling of hardware. We have won the national high-tech enterprise certificate since 2020.

Founded in 2007, Anji Cazen Hardware Co.,LTD. is located in Liujiatang Industrial Zone, Shangshu Township, Anji County, Zhejiang Province. Our factory covers an area of 35,000 square meters and have about 390 employees now. We have a professional technical development team of 50 people and we have obtained more than 30 product designs patent.

Our company's main products include five series: fully welded and assembled metal bases series, KD metal bases series, metal armrests series, footrest series , iron frame series,Desks and chairs for students series. There are 80 OTC robots, 10 large-tonnage high-precision continuous punching machines, 8 multi-function servo pipe bending machines, 4 laser pipe cutting machines (for heterogeneous processing), and two automatic powder coating lines. our company's annual turnover has been reached to RMB 230 million.

Our company's products are exported to more than 50 countries and regions around the world, our products and services have been highly recognized by customers.

In the future, we will continue sincerely cooperate together with our customers and create the market together with our clients, with our excellent technology and we will keep the principle of "quality first, integrity first".

深耕行业

18年

占地面积

3.5万平方米

年产值

2.3亿



ENTERPRISE HONOR

企业荣誉

发明专利 3 项

实用新型 27 项

外观专利 9 项

- ▶ 高新技术企业
- ▶ 浙江省创新型中小企业
- ▶ 浙江省专精特新中小企业
- ▶ 浙江省研发中心
- ▶ 四星级绿色工厂

PRODUCT LIST

产品列表



01
拆装式五星脚
Fully welded and assembled metal bases series



02
整装五星脚
Assembled Metal Base Series



03
扶手
Metal armrests series



04
脚踏圈
Footrest series



05
电竞椅铁架及其他铁架系列
Iron frame series




06
学生课桌椅
Desks and chairs for students series

KD METAL BASES SERIES

拆装类五星脚


五星脚系列专业注释

R:五星脚的尺寸大小 H:五星脚的高度
C:轮孔大小统一为11.2mm D:中管锥度统一为50mm



JC-01KD


原材料主体说明(mm)
φ35*1.1钢管 (310/320)
φ35*1.2/1.4钢管(350)



Size: R=310/320/350 H=130 D=50

JC-07KD/05KD

原材料主体说明(mm)
07KD:φ35*1.1钢管
05KD:φ38.9*1.6




Size: R=300/320/350/360 H=104/105/107 D=50



JC-15KD

原材料主体说明(mm)
φ35*1.2钢管




Size: R=320 H=120 D=50



JC-28KD

原材料主体说明(mm)
φ44*1.1钢管




Size: R=330/350 H=92/105 D=50



JC-20KD

原材料主体说明(mm)
1.6铁板
D型管40*20*1.3筋条




Size: R=360 H=82 D=50



JC-30KD

原材料主体说明(mm)
D型管 40*20*1.2




Size: R=320/350 H=51.5 D=50



JC-11KD

原材料主体说明(mm)
1.4铁板




Size: R=325/350 H=100 D=50



JC-30KD-2

原材料主体说明(mm)
D型管 40*20*1.1




Size: R=320/350 H=70 D=50



JC-88KD

原材料主体说明(mm)
1.4铁板




Size: R=360 H=66 D=50



JC-89KD

原材料主体说明(mm)
1.3铁板




Size: R=360 H=72 D=50



JC-58KD


原材料主体说明(mm)
1.2铁板



Size: R=330/350 H=98/100 D=50

JC-95KD

原材料主体说明(mm)
350半径: 1.4铁板
330半径: 1.2铁板




Size: R=330/350 H=100 D=50



JC-77KD

原材料主体说明(mm)
D型管40*20*1.1




Size: R=300/320/350 H=100/102/103 D=50



JC-1908KD

原材料主体说明(mm)
1.2铁板



Size: R=330/350 H=103 D=50





JC-86KD

Size: R=350 H=94 D=50



JC-76KD

Size: R=300/320/350 H=80/90/92 D=50



JC-79KD

Size: R=350 H=74 D=50



JC-26KD

Size: R=330 H=59 D=50



米博格

Size: R=350 H=68 D=50



JC-69KD

Size: R=350 H=74 D=50

五金拆装脚明细汇总

型号/ Part No.	R(mm)	H(mm)	D(mm)	C(mm)	螺丝孔	材料
JC-01KD	310/320/350	130	50	11.2	单孔	φ35*1.1mm钢管 (310/320) φ35*1.2mm钢管(350)
JC-01KD-2	310/350	130	50	11.2	双孔	φ35*1.1mm钢管 (310) φ35*1.2mm钢管(350)
JC-01KD-4	350	130	50	11.2	单孔	φ35*1.4mm钢管(350)
JC-07KD	300/320/350/360	104/105/107	50	11.2	双孔	φ35*1.1mm加硬
JC-05KD	320/360	113	50	11.2	双孔	φ38*1.2mm钢管 (320) φ38.9*1.6mm钢管 (360)
JC-11KD	325/350	100	50	11.2	单孔	1.45mm铁板
JC-15KD	320	120	50	11.2	双孔	φ35*1.2mm钢管
JC-20KD	360	82	50	11.2	双孔	1.6铁板 D40*20*1.3mm筋条
JC-26KD	330	59	50	11.2	双孔	φ44*1.2mm钢管
JC-28KD	330/350	105	50	11.2	双孔	φ44*1.1mm钢管
JC-28KD-2	330	92	50	11.2	双孔	φ44*1.0mm钢管
JC-30KD	320/350	51.5	50	11.2	单孔	D型管 40*20*1.2mm
JC-30KD-2	300/350	70	50	11.2	双孔	D型管 40*20*1.1mm
米博格	350	68	50	11.2	双孔	D型管22*50*1.2mm
350JC-58KD	315/330/350	98/100	50	10	双孔	1.2mm铁板
JC-69KD	350	74	50	11.2	单孔	脚管: 41.6*43.3*1.2mm 中心座: 38.1*39.8*1.4mm
JC-76KD	300/320/350	88/90/92	50	11.2	双孔	D型管40*20*1.1mm (300/320) D型管40*20*1.2mm (350)
JC-77KD	300/320/350	100/102/103	50	11.2	单孔	300/320 (1.1mm) 350 (1.1mm加硬)
350JC-86KD	350	94	50	11.2	双孔	φ36*42*1.4异型钢管
350JC-78KD-2	350	95	50	11.2	双孔	φ50*1.1钢管
330JC-78KD	330	92	50	11.2	单孔	φ50*1.1钢管
JC-79KD	350	74	50	11.2	双孔	1.1mm钢管
JC-89KD	360	72	50	11.2	单孔	1.3mm铁板
350JC-95KD	350	125	50	11.2	双孔	1.45mm/1.2MM铁板
330JC-95KD	330	130	50	11.2	双孔	1.2mm铁板
JC-1908KD	330/350	103	50	11.2	双孔	1.2mm铁板
JC-88KD	360	66	50	11.2	双孔	1.4mm铁板

ASSEMBLED METAL BASE SERIES

整装五星脚



JC-01
Size: R=270-350 H=110 D=50



JC-01-2
Size: R=320/350 H=110 D=50



JC-05S
Size: R=250/300/320/350 H=76 D=50



JC-07
Size: R=280/300/320/350 H=90 D=50



JC-08
Size: R=395 H=106 D=50



JC-08
Size: R= 350 H=90 D=50



JC-08
Size: R=330 H=91 D=50



JC-10A
Size: R=250 H=90 D=50



JC-010
Size: R=350 H=100 D=50



JC-11
Size: R=325/350 H=99 D=50



JC-11S
Size: R=330/350 H=65 D=50



JC-171/2
Size: R=270 H=65 D=50



JC-18
Size: R=300/320/350/365 H=100 D=50



JC-15A
Size: R=310 H=135 D=50



JC-15B
Size: R=310 H=180 D=50



JC-19
Size: R=370 H=80 D=70



JC-23X
Size: R=350 H=90 D=50



JC-15H
Size: R=300 H=240 D=50



JC-20
Size: R=350/370 H=80 D=50



JC-20-2
Size: R=350/370 H=80 D=50



JC-27
Size: R=250/320/365 H=60/65/70 D=50



JC-28
Size: R=330/350 H=100 D=50



JC-683
Size: R=320/340 H=145 D=50



JC-681
Size: R=300 H=210 D=38



JC-30
Size: R=300/320/350 H=70 D=50



JC-30-2
Size: R=300/320/350 H=70 D=50



JC-58
Size: R=330/350 H=100 D=50



JC-76
Size: R=270/280/300/320/330/350 H=100 D=50



JC-32
Size: R=320 H=193 D=50



JC-32H
Size: R=320 H=260 D=38



JC-78
Size: R=350 H=100 D=50



JC-86
Size: R=320/350 H=95 D=50



JC-88
Size: R=350 H=65 D=50



JC-89
Size: R=350 H=66 D=50



JC-98-1
Size: R=350 H=95 D=50



JC-98-2
Size: R=350 H=95 D=50



JC-89S
Size: R=330/370 H=61 D=50



JC-95-2
Size: R=340 H=130/125 D=50



JC-98D
Size: R=370 H=95 D=70



JC-96
Size: R=350 H=105 D=50



JC-1740
Size: R=330 H=95 D=50



JC-983
Size: R=350/370 H=95 D=50



JC-90190
Size: R=320 H=65 D=50



JC-1652
Size: R=360/370 H=204/75 D=50



JC-9068
Size: R=330/350 H=55 D=50



JC-D508
Size: R=330 H=70 D=50



CP-1908
Size: R=330 H=103 D=50

五金整装脚明细汇总

型号/Part No.	R(mm)	H(mm)	D(mm)	C(mm)	材料
JC-01 拉伸脚	270/280/300/320/330/350	110	50	11.2	φ35*1.1 (270/280) φ38*1.1(300/320/330) φ38*1.2 (350)
JC-01C 拉伸脚	350	130	50	11.2	φ38*1.2 (350)
JC-01-2 拉伸脚	320/350	110	50	11.2	φ35*1.1
JC-05 管子脚	240/280/300/310/320/ 350/365/375	100	50	11.2	φ38*1.0(240/280/320/350) φ38*1.1(300/320) φ38*1.2(300/320/350) φ38*1.4(300/310/320/350) φ38*1.8(365/375)
JC-07	280/300/320/350	96	50	11.2	φ35*1.0(350) φ35*1.1(280/300) φ35*1.2(300/320) φ35*1.4(300/320) φ35*1.5(350)
JC-05S 下沉脚	250/300/320/350	76	50	11.2	φ38*1.1 (250/300/320/350) φ38*1.2(350)
350JC-08 面包脚	350	90	50	11.2	1.8铁板
330JC-08	330	91	50	11.2	2.2mm铁板
395JC-08	395	106	50	11.2	1.8mm铁板
JC-10A 哈哈脚	250	90	50	11.2	φ25mm钢管
JC-11 方管脚	325/350	99	50	11.2	1.45mm铁板
JC-11S 四星脚	330/350	65	50	配脚钉	1.45mm铁板
JC-15A 弯头脚	310	135	50	11.2	φ32*1.5mm钢管
JC-15B	310	180	50	11.2	φ32*1.5mm钢管
JC-15H	300	240	50	11.2	φ32*1.5mm钢管
JC-17-1/2	270	65	50	11.2	1.9mm铁板
JC-18	300/320/350/365	100	50	11.2	2.0mm铁板
JC-19	370	80	70	11.2	1.6mm铁板
JC-20	350/370	80	50	11.2	1.6mm铁板, 1.2筋条重是3.4
JC-20-2	350/370	80	50	11.2	1.8mm铁板
JC-23X	350	90	50	11.2	φ0.9mm钢管 φ1.2mm钢管
JC-27 倒V四星脚	250/320/365	60/65/70	50	11.2	1.8mm铁板
JC-28	330/350	100	50	11.2	φ44mm*1.0钢管


METAL ARMRESTS SERIES

扶手

型号/Part No.		R(mm)	H(mm)	D(mm)	C(mm)	材料
JC-30	直管脚	300/320/350	70	50	11.2	D型管 40*20*1.2mm
JC-30-2	直管脚	300/320/350	70	50	11.2	D型管 40*20*1.1mm
JC-32	蜘蛛脚	320	193	50	11.2	φ19*20mm钢管
JC-32H	蜘蛛脚	320	260	38	11.2	
JC-58	马蹄脚	330/350	100	50	11.2	1.2mm铁板
JC-68-1	牙签脚	300	210	38	11.2	3.0mm平板
JC-68-3	牙签脚	320/340	145	50	11.2	3.0mm平板
JC-76	韩脚	270/280/300/320/330/350	100	50	11.2	D型管 40*20*1.1mm
JC-78		350	100	50	11.2	φ50*1.1mm钢管
JC-86	扁直脚	320/350	95	50	11.2	φ36*42*1.4mm异型钢管
JC-88	平脚	350	65	50	11.2	1.2mm铁板
JC-89		350	66	50	11.2	1.3mm铁板
JC-89S		300/370	61	50		配脚垫 1.3mm铁板
JC-95-2/3		340	125/130	50	11.2	1.4mm
JC-96	柳叶脚	350	105	50	11.2	2.0mm铁板
350JC-98-1		350	95	50	11.2	2.0mm铁板
350JC-98-2		350	95	50	11.2	2.0mm铁板
JC-98-3		350/370	95	50	11.2	2.0mm铁板
370JC-98D		370	95	70	11.2	2.0mm铁板
350JC-010		350	100	50	11.2	φ50mm*1.1钢管
JC-9068	红木脚	330/350	55	50	11.2	U型钢
JC-90190 (CP-1532)	红木脚	320	65	50	11.2	
JC-1652/1653		360/370	204/75	50	11.2	5.75MM铁板
CP-1908		330	103	50	11.2	1.6mm铁板
JC-D508	小铁脚	330	70	50		配脚垫
JC-1740		330	95	50	11.2	

扶手系列专业注释

- A: 扶手横长
- B: 扶手竖高
- C: 扶手两端直线距离



JC-T001

Size: A=320 B=235 C=280



JC-110216

Size: A=405 B=240 C=388



JC-002B

Size: A=400 B=280 C=373



JC-005

Size: A=420 B=280 C=373



JC-D17
Size: A=46 B=25 C=42



JC-020
Size: A=410 B=260 C=445



JC-010B-2
Size: A=420 B=280 C=343



JC-9221(070)
Size: A=420 B=280 C=417



JC-012-5
Size: A=395 B=240 C=345



JC-015
Size: A=410 B=240 C=430



JC-057
Size: A=410 B=290 C=360



JC-021
Size: A=430 B=260 C=455



JC-012
Size: A=350 B=245 C=333



JC-010B
Size: A=420 B=280 C=343



JC-2203
Size: A=355 B=263 C=370



JC-6X
Size: A=310 B=90



JC-050A
Size: A=420 B=320 C=350



JC-050B
Size: A=430 B=270 C=350



JC-022
Size: A=410 B=270 C=380



JC-2039
Size: A=376 B=270 C=390



JC-032PU
Size: A=330 B=305 C=360



JC-020-2
Size: A=410 B=260 C=445



JC-91931
Size: A=310 B=268



JC-027
Size: A=380 B=290 C=335



JC-072
Size: A=420 B=185 C=230



JC-090107(006)
Size: A=390 B=240 C=435



JC-80912B
Size: A=105 B=445 C=130



JC-1640S
Size: A=400 B=240 C=350



JC-071A
Size: A=420 B=230 C=185



JC-80146
Size: A=430 B=220 C=250



JC-T016
Size: A=260 B=260 C=160



JC-81721G
Size: A=540 B=355 C=395



JC-2540
Size: A=410 B=270



JC-T002
Size: A=435 B=270 C=240



JC-4215H
Size: A=280 B=317 C=180



JC-4215
Size: A=280 B=275 C=160



JC-029
Size: A=320 B=320 C=270



JC-016
Size: A=320 B=275



JC-2152 背杆
Size: A=330 B=180



JC-2152 扶手
Size: A=120 B=220



JC-1133

Size: A=300 B=278



JC-T010

Size: A=210 B=230



JC-992

Size: A=165 B=215



JC-2021

Size: A=240 B=247 C=250



JC-2632

Size: A=245 B=250 C=360



JC-T018

Size: A=282 B=243 C=162

五金扶手&背杆明细汇总

型号/ Part No.	产品名称	A(mm)	B(mm)	C(mm)	材料
JC-T001	两点式管子扶手	320	235	280	40*22mm钢管
JC-002B	两点式铁板扶手	400	280	373	50*5mm钢板
JC-T002	四边形扶手	435	270	240	40*22.5mm钢管
JC-005	两点式铁板圆弧扶手	420	280	373	55*5mm铁板
JC-090107(006)	两点式铁板扶手	390	240	435	55*5mm铁板
JC-010B	两点式管子扶手	420	280	343	50*30mm钢管
JC-010B-2	两点式管子扶手	420	280	343	46*26mm钢管
JC-010C	两点式管子扶手	425	275	378	50*30mm钢管
JC-010X	两点式管子扶手	410	270	375	40*22mm钢管
JC-T010	双管扶手	210	230		φ16*2.0mm钢管 5mm铁板
JC-012	两点式管子扶手	350	245	333	40*20mm钢管
JC-012-5	两点式管子扶手	395	240	345	40*20*1.2眼镜管
JC-015	扁管扶手	410	240	430	40*20mm钢管
JC-016	四边形扶手	320	275		40*10*1.2mm钢管
JC-T016	弯管扶手	260	260	160	19*2.0mm圆管
JC-D17	活动关节扶手	460	250	420	15*50*1.2短管
JC-T018	斜Z扶手	282	243	162	40*10*1.2mm钢管
JC-020	两点式扁管扶手	410	260	445	40*20mm钢管
JC-020-2	两点式扁管扶手	410	260	445	40*20mm钢管
JC-021	两点式铁板扶手	430	260	462	40*5mm钢板
JC-022	折弯焊接扶手	410	270	380	40*22mm钢管
JC-027	铁件配塑料扶手	380	290	335	40*10*1.5mm矩形管
JC-029	管子四边形扶手	320	320	270	40*22.5*1.4眼镜管
JC-032PU	铁板PU弯曲扶手	330	305	360	50*5mm钢板
JC-050A	重磅扶手(小套管)	420	320	350	60*20mm钢管
JC-050B	重磅扶手(大套管)	430	270	350	60*20mm钢管
JC-057	扁管弯曲扶手	410	290	360	55*12mm钢管


型号/Part No.	产品名称	A(mm)	B(mm)	C(mm)	材料
JC-9221(070)	两点式铁板圆弧扶手	420	280	417	55*5mm铁板
JC-071A	组装式四边扶手	420	230	185	40*20mm钢管
JC-072	大U扶手	420	185	230	40*20mm钢管
JC-110216	三面折弯铁板扶手	405	240	388	55*5mm铁板
JC-1133	双管扶手	300	278		φ22*1.2mm钢管
JC-1640S	七字焊接扶手	400	240	350	40*22.5*1.8眼镜管
JC-2021	T字铁板折弯扶手	240	247	250	55*5.5mm钢板
JC-2203	两点式铁板扶手	355	263	370	50*5mm钢板
JC-2039	两点式方管扶手	376	270	390	40*20mm钢管
JC-2152扶手	T型小扶手	120	220		19*1.4mm圆管
JC-2152背杆	L型背杆	330	180		20*60*1.8mm椭圆管
JC-2540	四边形扶手	410	270		40*10*1.2mm矩形管 40*20*1.3mm椭圆管
JC-4215	双管扶手	280	275	160	16*1.2圆管
JC-4215H	双管加高扶手	280	317	180	16*1.2圆管
JC-6X	背杆	310	90		29.5*15*1.5mm椭圆钢管
JC-80146	塑料铁件组装扶手	430	220	250	40*20mm钢管
JC-81721G	工字架	540	355	395	25*1.8mm钢管
JC-80912B	铁板长扶手	105	445	130	7.5mm铁板
JC-91931	斜Z扶手	310	268		50*30mm钢管
JC-99-2	活动升降扶手	165	215		7.0mm扁钢, 28*4.5mm升降管
JC-2632	两点式扶手	245	250	360	40*10*1.2mm

FOOTREST SERIES

脚踏圈

脚踏圈系列专业注释

φ:脚圈直径
D:中管直径



JC-3401

Size: φ=460/510 D=50



JC-3402

Size: φ=450 D=50



JC-3403

Size: φ=450 D=50



JC-3408

Size: φ=510 D=50



JC-3409

Size: $\phi=510$ D=50



JC-3409-2

Size: $\phi=460/510$ D=50



JC-3406

Size: $\phi=390/460$ D=50



JC-3410

Size: $\phi=460/510/550/610/635$ D=50



JC-3412

Size: $\phi=443$ D=50

五金脚踏圈明细汇总

型号/Part No.	产品名称	直径(mm)	中管规格	材料
JC-3401	高中管脚踏圈	460/510	H:105*2.75MM 可配 $\phi 50*1.1*260$ mm连接杆 (可不配)	圆圈: $\phi 19*1.2$ mm钢管 四角撑: $\phi 19*1.4$ mm钢管
JC-3402	无手轮款三角脚踏圈	450	H:130mm中心管 配 $\phi 50*170*2.0$ mm连接杆	圆圈: $\phi 19*1.2$ mm钢管 三角撑: $30*16*1.2$ mm椭圆管
JC-3403	带手轮款三角脚踏圈	450	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 三角撑: $30*16*1.2$ mm椭圆管
JC-3406	铁片款脚踏圈	390/460	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 铁片: 上 $18.5*1.8$ 下: $20*2.0$ mm
JC-3408	四角撑扁管脚踏圈	510	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 铁片: $30*16*1.2$ mm椭圆管
JC-3409	扁管脚踏圈 (焊接款)	510	H: $58*\phi 64.5*$ 厚3mm	圆圈: $30*16*1.2$ 椭圆管 四角撑: $\phi 19*1.4$ mm钢管
JC-3409-2	扁管脚踏圈 (组装款)	450/510	H: $58*\phi 64.5*$ 厚3mm	圆圈: $30*16*1.2$ 椭圆管 四角撑: $\phi 19*1.4$ mm钢管
JC-3410	管子脚踏圈 (组装款)	460/510/550/610	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 四角撑: $\phi 19*1.4$ mm钢管
JC-3410-2	加强管子脚踏圈 (组装款)	460/550	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 四角撑: 2.0mm管子
JC-3410-3	加衬管脚踏圈 (组装款)	510	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 四角撑: $\phi 19*1.4$ mm钢管+内加衬管
JC-3410-4	管子脚踏圈 (焊接款)	635	H: $58*\phi 64.5*$ 厚3mm	圆圈: $\phi 19*1.2$ mm钢管 四角撑: $\phi 19*1.4$ mm钢管
JC-3412	四角撑注塑脚踏圈	443	尼龙搁脚	圆圈: $\phi 19$ mm钢管 四角撑: 尼龙

IRON FRAME SERIES

电竞椅铁架及其他铁架系列



81795

主管：直径19*壁厚1.5
背副管：直径16*壁厚1.0
座副管：直径19*壁厚1.2
调角器：510
托盘：19底盘
扶手：4点式升降手
皮套安装：钢筋+拉链
备注：可以加搁脚



82290

主管：直径19*壁厚1.2
背副管：直径16*壁厚1.0
座副管：直径19*壁厚1.2
调角器：无
托盘：02-2可躺式底盘
扶手：2点式塑胶扶手
皮套安装：钢筋+拉链
备注：无



81272

主管：直径19*壁厚1.2
背副管：直径16*壁厚1.0
座副管：直径19*壁厚1.2
调角器：166
托盘：19底盘
扶手：2点式升降手
皮套安装：钢筋+拉链
备注：无



7036

主管：直径19*壁厚1.2
背副管：直径16*壁厚1.0
座副管：无
调角器：无
托盘：19底盘
扶手：4点式塑胶扶手
皮套安装：卡扣
备注：无



81440

主管：直径19*壁厚1.2
背副管：直径16*壁厚1.0
座副管：直径19*壁厚1.2
调角器：510
托盘：19底盘
扶手：4点式升降手
皮套安装：钢筋+拉链
备注：可以加搁脚



8715

主管：直径19*壁厚1.5
背副管：直径16*壁厚1.0
座副管：直径19*壁厚1.2
调角器：510
托盘：19底盘
扶手：4点式升降手
皮套安装：钢筋+拉链
备注：可以加搁脚